



Battery strapping tool

JD-PSE16(JD-PSE13/16-14)

30-45min

Fast charging

6000Mah

High Capacity

600 sealing cycles per charge

2000 charging cycles for battery

15000H life time for motors

Focus on an elegant/efficient/affordable way of strapping



Specification



Model: JD-PSE16

Size: 35CM*14CM*12CM

N.W.: 3.4KG

Available straps: PP/PET

Strap widness: 9mm--16mm

Strap thickness: 0.5mm-1.5mm

Joint: Friction and welding

Strap tension: 2800N

Power: 6000Mah, DC14.4V Li-lon

Charger: Fast special charger with LCD

Input: AC100-245V、50-60HZ

Output: DC14.4-18V、3.0A/6.0A

Charging time: about 45min

Durable: about 600 cycles per charging

Battery life time: 2000 charging cycles

Accessory: Tool kit & optional spare parts



Feature and application



- 1.Light weight and well-balance
- 2.No buckle, joint approx.80% strap strength
- 3. Easy operation with 2800N tension force
- 4. High capacity with 6000 Mah
- 5. Rugged housing with shock-absorption
- 6.600 sealing cycles per fully charged



JD-PSE16 is widely used in paper, aluminum, textile, steel, logistics, farm chemical, metal industries and so on



Why choose JD-PSE16

1 Hardware Benefits

- 1. High quality chrome steel &alloy aluminum body, imported SKD11 alloy steel for key part.
- 2. High quality NSK deep groove balls bearing and imported IKO needle rollers bearing.
- 3. PCB board with moisture-proof, dust-proof, anti-static and military quality
- 4. Brushless motor, low temperature rise, low noise, long service life, one year warranty.
- 5. Special battery, 6000MAH large capacity with durable performance


2 Software Benefits

- 1.Logic program protection. If no tensioning movement, the friction& cutting movement can't be done once press the welding button .which can avoid damaging the friction parts by misoperating occasionally. The same type of tools both at home and abroad does not have this protection function.
- 2.Reset program:It can start the reverse/reset movement of the feeding wheel by lifting the handle twice continuously when tool is jammed

3Performance Benefits

- 1. Brushless motor with 15000H life time
- 2. High capacity battery with 2000cycles charging
- 3. 600 sealing cycles per fully charged
- 4. Fast special charger with LCD dispaly
- Well-balanced with light weight
- 6.Perfect friction joint with up75% strap tension force
- 7. Easy operation and maintanence
















Standard blue, color can be customized (cover MOQ500 sets), one unit can also has 2-3 different colors of covers



Structure





PCB board









JD-PSE16:

PCB comes with military quality

Moisture proof, dust-proof and anti-static

Smooth& stable performance


Other similar tools on the market: Using ordinary PCB board, It is easy to burn the plate during use and has short service life.



Motor

Brushless DC motor





JD-PSE16:

Comes with Brushless DC
motor,low noice,Low
temperature rise, Durable
with 15000hours



Other similar tools on the market

Ordinary brush motor is adopted, Low quality, easy to heat during use and short service life.



Battery analysis







Battery analysis



6000mAH*14.4V high capacity86.4WH Super power2000 charging cycles


Very high capacity of up to 600 strap cycles per battery load

BATTERY=EFFICIENT

Comparison:

others on the market:3000mAh capacity, 80-200 pieces for one-time charging.Voltage 11.1V.

600 strap cycle per battery load





Charger analysis

Special fast charger




Voltage: 110v-240 ~ 100W 50-60Hz

Current: 14.4v-18v 3A / 6A

Charging time: About 30-45 minutes

LCD display







Application scenarios

Application



JD-PSE16 is widely used in all industries and sectors





Certificate and patent

Qualifications



















We come with over 50 certificates and patents to make sure our products to sell at any market in the world.



More videos are here: https://www.youtube.com/channel/UCmiFE_xUXptEwmjfgR7OKwA/videos Welcome to subscribe our channel